

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




Fig. 1a




Fig. 1b




Fig. 2





Fig. 3



Normalized Rate of Change of Flow

Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12

10/20




Fig. 13

Hypopnea




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19






Fig. 20










FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27